Health Care Practitioner Reporting Guidelines for Reportable Diseases and Conditions in Florida



Based on Revisions to Rule 64D-3.029 Florida Administrative Code Effective October 20, 2016

To All State of Florida Licensed Practitioners



Dear Colleagues:

All practitioners, hospitals, and laboratories in Florida are required to notify the Florida Department of Health (Department) of diseases and conditions of public health significance under section 381.0031, Florida Statutes, and Chapter 64D-3, Florida Administrative Code. Practitioners, hospitals, medical facilities, laboratories, schools, nursing homes, state institutions, and other locations providing health services are required to notify the Department of diseases or conditions and the associated laboratory test results listed in the *Table of Reportable Diseases or Conditions to Be Reported*, Rule 64D-3.029, Florida Administrative Code. Laboratory notification of test results does not nullify the practitioner's obligation to also notify the Department of the disease or condition. The public health system depends upon notification of diseases by physicians, laboratorians, infection preventionists and other health care practitioners to monitor the health of the community and to guide preventive action.

Practitioners are required to notify the Department of certain diseases of urgent public health importance upon initial clinical suspicion of the disease **prior** to confirmatory diagnosis. Diseases warranting notification upon suspicion (termed *Suspect Immediately*) should be reported 24 hours a day, seven days a week so the necessary public health response can be initiated in a timely and effective manner. Practitioners are also responsible for providing laboratories with all necessary information for the laboratories to fulfill laboratory notification requirements.

The Department has updated the *Table of Reportable Diseases or Conditions to Be Reported*, Rule 64D-3.029, Florida Administrative Code (effective October 20, 2016), and section 381.985, Florida Statutes (effective July 1, 2017), related to reporting elevated blood lead levels and screening results to the Department. In an effort to assist practitioners in meeting their obligations to notify the Department of reportable diseases and conditions, the Department has prepared this guide. This guide is not intended to cover every aspect of Chapter 64D-3, Florida Administrative Code, but rather to provide a summation and explanation of practitioner reporting requirements.

To obtain more information, such as the updated version of Chapter 64D-3, Florida Administrative Code, or other important reporting documents and guidelines, please:

- 1. Visit www.FloridaHealth.gov/DiseaseReporting
- 2. Contact the Department's Central Office (see page 2 of this guide)
- 3. Contact your local county health department (visit www.FloridaHealth.gov/CHDEpiContact to locate contact information)

The included list of reportable diseases and conditions is current as of October 2016. This list is not static and will change over time.

We hope you will find this guide a useful aid as we all work to improve reportable disease and condition surveillance, prevention, and control in Florida. The assistance and support of health care providers are invaluable. Thank you for your partnership.

Sincerely,

Machine

Carina Blackmore, DVM, PhD, Dipl ACVPM Director, Division of Disease Control and Health Protection State Epidemiologist Florida Department of Health

Table of Contents

AF	TER-HOURS Notification Information	1
I.	Contact Information, Florida Department of Health	2
11.	 Frequently Asked Questions (FAQs) 1. What are the practitioner notification requirements for reportable diseases under Chapter 64D-3, Florida Administrative Code? 2. Whom should practitioners notify when a reportable disease or condition is identified? 3. When should notification of reportable diseases or conditions occur? 4. What information are practitioners required to submit to the Department? 5. Do notification requirements for practitioners and laboratories differ? 6. What information do practitioners need to provide laboratories to enable laboratories to fulfill their notification requirements? 7. Should practitioners call the Department about suspected cases of diseases or conditions of a highly infectious nature of urgent public health importance? 8. Are there special testing requirements for STDs in pregnant women that impact practitioner notification? 9. Are there diseases or conditions with exceptions or special practitioner notification requirements? 10. Are laboratory results required to be submitted electronically? 11. Does the Health Insurance Portability and Accountability Act (HIPAA) affect notification requirements? 	3 4 5 5 5 6 7
	Notification Timeframes. Suspect Immediately Immediately Immediately Next Business Day Other Difference between the Suspect Immediately and Immediately notification timeframes	8 8 8 8 9
IV.	Table of Reportable Diseases or Conditions to Be Reported	10
V.	Notations, Table of Reportable Diseases or Conditions to Be Reported	16
VI.	One Page Practitioner Guide	19
VII	Practitioner Disease Notification Form	20
	FTER-HOURS notification of <i>Suspect Immediately</i> and <i>Immediately</i> reportable iseases or conditions, accessible 24 hours a day, 7 days a week (24/7):	
	otifications before or after regular county health department business hours shall nade to the after-hours duty official.	be
•	To locate local county health department after-hours disease reporting phone number, visit www.FloridaHealth.gov/CHDEpiContact Record your county health department contact information below.	
	Business hours phone:	
	Fax:	
	After-hours phone:	
•	If unable to reach the county health department after-hours official, contact: Bureau of Epidemiology after-hours phone: (850) 245-4401 Bureau of Public Health Laboratories after-hours phone: (866) 352-5227 (866-FLA-LABS)	

Coming soon: "What's Reportable?" app for iOS and Android

I. Contact Information, Florida Department of Health

To contact the Department about a reportable disease or condition during regular business hours or receive consultation regarding diagnosis and management of patients and contacts, practitioners should contact their county health department.

Visit www.FloridaHealth.gov/CHDEpiContact to obtain local county health department contact information.

For technical consultation or consultation regarding disease notification, diagnosis, and management of patients and contacts, contact the Department's Central Office:

Division of	Disease	Control	and	Health
Protection				

Phone:	(850) 245-4300
Physical:	4025 Esplanade Way
Mailing:	4052 Bald Cypress Way, A-09
	Tallahassee, Florida 32399-1720

Bureau of Epidemiology

Phone: (850) 245-4401, accessible 24/7 Confidential Fax: (850) 414-6894

Bureau of Communicable Diseases

HIV/AIDS Section Phone:(850) 245-4334

Tuberculosis Control Section

Immunization Section (850) 245-4342

(850) 245-4350

(800) 4TB-INFO

Sexually Transmitted Disease and Viral Hepatitis Section (850) 245-4303

Useful websites:

Diseases and Conditions www.floridahealth.gov/diseases-andconditions/index.html

Disease Reporting Information for Health Care Providers and Laboratories www.Floridahealth.gov/DiseaseReporting

Florida Birth Defects Registry www.FloridaHealth.gov/AlternateSites/FBDR/

Florida Cancer Registry www.floridahealth.gov/diseases-andconditions/cancer/cancer-registry/index.html

Florida Lead Poisoning Prevention Program www.floridahealth.gov/environmentalhealth/lead-poisoning/index.html

Florida Meaningful Use Public Health Reporting www.FloridaHealth.gov/MeaningfulUse

Electronic Laboratory Reporting email: ELR@flhealth.gov

For laboratory consultation or to arrange for receipt of specimens, contact the Bureau of Public Health Laboratories:

Jacksonville

Phone:	(904) 791-1500
Fax:	(904) 791-1567
Physical:	1217 North Pearl Street
	Jacksonville, Florida 32202
Mailing:	P.O. Box 210
	Jacksonville, Florida 32231

Tampa

 Phone:
 (813) 974-8000

 Fax:
 (813) 974-3425

 Address:
 3602 Spectrum Boulevard

 Tampa, Florida 33612

Miami

 Phone:
 (305) 324-2432

 Fax:
 (305) 324-2560

 Address:
 1325 Northwest 14th Avenue

 Miami, Florida 33125

Bureau of Public Health Laboratories 24/7 Phone: (866) 352-5227 (866-FLA-LABS)

During regular business hours, use contact information above.

II. Frequently Asked Questions (FAQs)

1. What are the practitioner notification requirements for reportable diseases under Chapter 64D-3, Florida Administrative Code?

Practitioner and medical facility reporting requirements are described in Rules 64D-3.0030 and 64D-3.0032, Florida Administrative Code. Each licensed practitioner, medical facility, and medical examiner who diagnoses, treats, or suspects a case or an occurrence of a disease or condition listed in the *Table of Reportable Diseases or Conditions to Be Reported*, Rule 64D-3.029, Florida Administrative Code, is required to notify the Department of that case or occurrence. See pages 10-15 for the *Table of Reportable Diseases or Conditions to Be Reported*. The public health system depends on notification of disease to monitor the health of the community and to inform preventive actions.

Laboratories are also required to notify the Department of reportable diseases and conditions. Duplicate reporting of the same illness may occur, though laboratories and practitioners have different reporting requirements (see FAQ #5). Information contained in practitioner reports supplements data provided by laboratories by providing additional information on symptoms, pregnancy status, treatment, occupation, illness in family members, etc. Laboratory submission of test results to the Department does not nullify the practitioner's obligation to also report the disease or condition. Practitioners also play an important role in supplying laboratories with all necessary information to fulfill laboratory notification requirements. Public health authorities will identify any duplicate reports received and de-duplicate the records. Although multiple reports may be received, this is preferable to not receiving any report, which would likely lead to additional transmission and increased morbidity. All people with reporting responsibilities should verify that notification systems are in place at the medical practices and hospitals in which they work and at the laboratories they use.

2. Whom should practitioners notify when a reportable disease or condition is identified?

Notification of a reportable disease or condition should be made directly to the county health department in the county where the patient resides. It is important to know how to contact county health department epidemiology staff during business hours as well as after hours for notification of *Suspect Immediately* and *Immediately* reportable diseases or conditions in the *Table of Reportable Diseases* or *Conditions to Be Reported* (see pages 10-15).

Please note that there are some diseases with different notification requirements. See FAQ #9 for additional information on exceptions.

3. When should notification of reportable diseases or conditions occur?

Notification of reportable diseases or conditions should be submitted according to timeframes specified in the *Table of Reportable Diseases or Conditions to Be Reported* (see pages 10-15). For a description of the requirements for each notification timeframe, see page 8. Notification via telephone should be followed with a subsequent written report within 72 hours by facsimile, electronic data transfer, or other confidential means of written communication.

4. What information are practitioners required to submit to the Department?

- As per Rule 64D-3.030, Florida Administrative Code, report content must include:
 - a. The patient's:
 - 1. First and last name, including middle initial
 - 2. Address (including street, city, state, and ZIP code)
 - 3. Telephone number (including area code)
 - 4. Date of birth
 - 5. Sex
 - 6. Race
 - 7. Ethnicity (Hispanic or non-Hispanic)
 - 8. Pregnancy status, if applicable
 - 9. Social security number
 - 10. Date of symptom onset
 - 11. Diagnosis
 - b. Type of diagnostic tests (e.g., culture, IgM, serology, nucleic acid amplification test, Western blot)
 - c. Specimen collection date
 - d. Specimen type (e.g., stool, urine, blood, mucus)
 - e. Specimen collection site (e.g., cervix, eye), if applicable
 - f. Diagnostic test results, including reference range, titer when quantitative procedures are performed, and all available results concerning additional characterization of the organism
 - g. For Tuberculosis, the 15-digit spoligotype (octal code)
 - h. Treatment given
 - i. Attending practitioner's:
 - 1. Name
 - 2. Address (including street, city, state, and ZIP code)
 - 3. Telephone number (including area code)
 - 4. National provider identifier (NPI)
 - j. Other necessary epidemiological information as well as additional specimen collection or laboratory testing requested by the county health department director or administrator or their designee

5. Do notification requirements for practitioners and laboratories differ?

Yes, practitioners and laboratories have slightly different notification requirements. For example, practitioners are required to report treatment information, which is not applicable for laboratories. Submission methods also differ; laboratories are required to submit results electronically. Please refer to the *Table of Reportable Diseases or Conditions to Be Reported* (see pages 10-15) for specific requirements for practitioners and laboratories.

Please note that laboratory notification does not nullify the practitioner notification requirements.

6. What information do practitioners need to provide laboratories to enable laboratories to fulfill their notification requirements?

Practitioners are responsible for assisting laboratories to fulfill their notification requirements. Practitioners are responsible for obtaining and providing the following information to laboratories at the time a specimen is sent to or received by the laboratory:

- a. The patient's:
 - 1. First and last name, including middle initial
 - 2. Address, including city, state and ZIP Code
 - 3. Telephone number, including area code
 - 4. Date of birth
 - 5. Sex
 - 6. Race
 - 7. Ethnicity (Hispanic or non-Hispanic)
 - 8. Pregnancy status, if applicable
 - 9. Social security number
- b. Date of specimen collection
- c. Type of specimen (e.g., stool, urine, blood, mucus)
- d. Specimen collection site (e.g., cervix, eye), if applicable
- e. Submitting practitioner's information, including name, address (street, city, ZIP Code), telephone number, and National Provider Identifier (NPI)

7. Should practitioners call the Department about suspected cases of diseases or conditions of a highly infectious nature of urgent public health importance?

Yes, practitioners are required to call the Department about suspected cases of certain diseases of urgent public health importance. Practitioners should refer to the *Table of Reportable Diseases or Conditions to Be Reported* (see pages 10-15); the column labeled as *Suspect Immediately* designates which diseases or conditions should result in notifying the Department upon initial suspicion of disease, prior to confirmatory diagnostic results. Requests for laboratory tests for identification of an organism are considered evidence that the disease is considered as part of the practitioner's differential diagnosis and should be reported. Practitioners should immediately (24 hours a day, seven days a week) call their county health department about diseases designated as *Suspect Immediately*. Upon confirmation of the disease or presence of the agent, the practitioner should also call their county health department of confirmation.

8. Are there special testing requirements for STDs in pregnant women that impact practitioner notification?

Yes, practitioners attending a woman for prenatal care must test the woman for chlamydia, gonorrhea, hepatitis B, HIV, and syphilis at initial examination and then again at 28 to 32 weeks gestation. Practitioners attending a woman at delivery or within 30 days postpartum who has no record of prenatal HIV/STD testing must test the woman for hepatitis B, HIV, and syphilis. Practitioners attending a woman who presents to an emergency department at 12 weeks gestation or greater with no record of prenatal care must either test the woman for HIV/STDs or provide her with a written referral to their county health department. Prior to any required testing, a woman must be notified of the tests to be performed and of the right to refuse testing. If a woman refuses testing, she must sign a statement to that effect or the practitioner must document the refusal(s) in the medical record. For further information, please contact the Department's Sexually Transmitted Disease and Viral Hepatitis Section (see page 3 for contact information).

9. Are there diseases or conditions with exceptions or special practitioner notification requirements?

Yes, there are exceptions or special notification requirements for the diseases below.

- Cancer
- Congenital anomalies
- HIV/AIDS and HIV-exposed infants
- Neonatal abstinence syndrome (NAS)
- Lead poisoning

Details are provided for each disease or condition below.

Notification process is different:

- Cancer: All health care facilities, laboratories, freestanding radiation therapy centers, ambulatory patient care centers and any practitioner licensed to practice medicine in the state of Florida are required to notify the Florida Cancer Data System (FCDS) of all cancer diagnoses or treatment within six months. All cases must be transmitted electronically to FCDS in accordance with the FCDS Data Submission Policies and Procedures outlined in the FCDS Data Acquisition Manual. For more information, visit the FCDS website (http://fcds.med.miami.edu/inc/path.shtml).
- **Congenital anomalies:** Notification by licensed hospitals or licensed practitioners occurs when these conditions are reported to the Agency for Health Care Administration in its inpatient discharge data report pursuant to Chapter 59E-7, Florida Administrative Code. The Florida Birth Defects Registry (FBDR) compiles data from linked administrative data sets to identify infants born with congenital anomalies in Florida.
- NAS: Notification by licensed hospitals occurs when NAS cases are reported to the Agency for Health Care Administration in its inpatient discharge data report pursuant to Chapter 59E-7, Florida Administrative Code. FBDR compiles data from linked administrative data sets to identify infants born with NAS in Florida.

Positive and negative laboratory results should be submitted, not just case information:

Lead poisoning: cases (≥5 µg/dL) should be submitted to the county health department. Additionally, results produced by on-site blood lead analysis devices (i.e., portable lead care analyzers or other portable devices used to perform blood lead analysis) of <5 µg/dL must be submitted within 10 business days electronically. For questions, contact the Florida Lead Poisoning Prevention Program at (850) 245-4401.

Special notification forms are required:

- **HIV or AIDS:** Case notification should occur within two weeks using the Adult HIV Confidential Case Report Form, CDC 50.42A (revised March 2013) for cases in people ≥13 years old or the Pediatric HIV Confidential Case Report, CDC 50.42B (revised March 2013) for cases in people <13 years old. Practitioners should contact their county health department for these forms.
- HIV-exposed newborns or infants <18 months old born to an HIV-infected woman: Notification should be by the next business day. Practitioners should complete the Pediatric HIV Confidential Case Report, CDC 50.42B (revised March 2003). Practitioners should contact their county health department for these forms.

10. Are laboratory results required to be submitted electronically?

Yes, laboratories are required to submit test results electronically. For information about electronic laboratory reporting (ELR), please contact the Department's ELR liaison at ELR@flhealth.gov. Practitioners conducting in-house laboratory testing should review the laboratory reporting guidelines as well as practitioner guidelines to ensure compliance to aid in an effective and timely public health response.

Please note: ELR does not remove the requirement to report by telephone those diseases with notification timeframes of *Suspect Immediately* and *Immediately* in the *Table of Reportable Diseases or Conditions to Be Reported* (see pages 10-15).

11. Does the Health Insurance Portability and Accountability Act (HIPAA) affect notification requirements?

No, HIPAA does not change the obligation of practitioners to notify the Department of reportable diseases or conditions or the obligation to cooperate with the Department's epidemiologic investigations. HIPAA section 45 *CFR* 160.203(c) specifically includes an exception for procedures established under state law providing for "reports of disease, injury, child abuse, birth or death for the conduct of public health" and 45 *CFR* section 164.512(b) states that "A covered entity may disclose protected health information for the public health activities and purposes...to a public health authority that is authorized by law to collect or receive such information for the purpose of preventing or controlling disease, injury, or disability, including, but not limited to, the reporting of disease, injury, vital events such as birth or death, and the conduct of public health surveillance, public health investigations, and public health interventions."

All practitioners, medical facilities, and laboratories in Florida are required to notify the Department of diseases or conditions of public health significance under section 381.0031, Florida Statutes and Florida Administrative Code, Chapter 64D-3. Administrators of laboratories, practitioners, hospitals, medical facilities, schools, nursing homes, state institutions, or other locations providing health services are required to notify the Department of diseases or conditions and the associated laboratory test results listed in the *Table of Reportable Diseases or Conditions to Be Reported*, Rule 64D-3.0029, Florida Administrative Code (see pages 10-15). These state requirements are not reduced or changed by the federal law.

III. Notification Timeframes

Suspect Immediately

These reportable diseases and conditions are of immediate public health concern due to their highly infectious nature or need for immediate intervention. **Practitioners should call their county health department immediately, 24 hours a day, seven days a week by phone upon initial clinical suspicion or laboratory test order.**

Practitioners should call their county health department without delay upon the occurrence of any of the following: initial clinical suspicion, suspected diagnosis, receipt of a specimen with an accompanying request for an indicative or confirmatory test, and findings indicative thereof. The goal of the *Suspect Immediately* timeframe is to call public health authorities as soon as possible during the case evaluation period so the necessary public health response (e.g., issuance of isolation, quarantine, prophylaxis, anti-toxin request, mosquito control notification) can be initiated in a timely and effective manner to prevent further exposure or infection.

Notification should be directly to the county health department. Notifications before or after regular business hours shall be made to the county health department after-hours duty official. Visit www.FloridaHealth.gov/CHDEpiContact to obtain local county health department after-hours duty contact information. If unable to reach the county health department after-hours official, contact the Department's Bureau of Epidemiology after-hours duty official at (850) 245-4401.

7

Immediately

These reportable diseases and conditions are of urgent public health importance. **Practitioners should call their county health department by phone immediately 24 hours a day, seven days a week following an indicative or confirmatory test result, finding, or diagnosis.**

Notification should be directly to the county health department. Notifications before or after regular business hours shall be made to the county health department after-hours duty official. Visit www.FloridaHealth.gov/CHDEpiContact to obtain local county health department contact information. If unable to reach the county health department after-hours official, contact the Department's Bureau of Epidemiology after-hours duty official at (850) 245-4401.

Next Business Day

Practitioners should notify their county health department no later than the close of the next business day following confirmatory testing or diagnosis.

Other

Some diseases and conditions have other reporting timeframes. Specific timeframes are indicated in the "Other" column of the *Table of Reportable Diseases or Conditions to Be Reported* (see pages 10-15).

Submit isolates or specimens for confirmation

Laboratories are required to send specimens, isolates, sera, slides, or diagnostic preparations for certain etiologic agents to the Department's Bureau of Public Health Laboratories for confirmation or additional characterization of the organism.

Difference between the Suspect Immediately and Immediately notification timeframes

Practitioners should call their county health department about diseases that are listed as *Suspect Immediately* or *Immediately* as soon as possible, 24 hours a day, seven days a week by phone. *Suspect Immediately* diseases and conditions should be reported **upon initial suspicion**. Notification should occur prior to a confirmatory diagnosis when the disease in question is considered highly suspect. Requests for laboratory test identification of an organism are considered evidence that the disease is part of the clinician's differential diagnosis and should be reported. The goal of the *Suspect Immediately* timeframe is to call public health authorities as soon as possible during the case evaluation so the necessary public health response (e.g., issuance of isolation, quarantine, prophylaxis, anti-toxin request, mosquito control notification) can be initiated in a timely and effective manner to prevent further exposure or infection. *Immediately* also applies to high-priority diseases but notification should occur **following confirmatory testing or diagnosis**.

Practitioner N	otificatio	n			Laborator	y Notifica	tion			
	Г	Fimefram	ne (see pa	age 8)			Т	imefram	e (see p	age 8)
Reportable Disease or Condition	Suspect Immediately	Immediately	Next Business Day	Other	Evidence of current or recent infection with etiological agents and all associated testing results performed should be reported (e.g. species, serogroup, serotype, and antimicrobial susceptibility *2 results)	Submit isolates or specimens for confirmation *1	Suspect Immediately	Immediately	Next Business Day	Other
Outbreaks of any disease, any case, cluster of cases, or exposure to an infectious or non-infectious disease, condition, or agent found in the general community or any defined setting (e.g., hospital, school, other institution) not listed that is of urgent public health significance †	!				Detection in one or more specimens of etiological agents of a disease or condition not listed that is of urgent public health significance; agents suspected to be the cause of a cluster or outbreak ‡		ļ			
Acquired immune deficiency syndrome (AIDS)				2 weeks	Laboratory notific	ation not	applicat	ole	T	T
Amebic encephalitis		2			Naegleria fowleri, Balamuthia mandrillaris, and Acanthamoeba species			2		
Anthrax	1				Bacillus anthracis	\mathbf{X}	1			
Antimicrobial resistance surveillance	Pi		er notifica oplicable	tion not	Antimicrobial susceptibility results for isolates from a normally sterile site for Acinetobacter baumannii, Citrobacter species, Enterococcus species, Enterobacter species, Escherichia coli, Klebsiella species, Pseudomonas aeruginosa, and Serratia species *3				x	
Arsenic poisoning *4a			х		Laboratory results as specified in the surveillance case definition *4a				х	
Arboviral diseases not otherwise listed *5	!				Arboviruses not otherwise listed, including but not limited to: Flaviviridae, Togaviridae (e.g., Western equine encephalitis virus), and Bunyaviridae (e.g., Heartland virus, Rift Valley fever virus) *5	X	!			
Babesiosis			х		Babesia species	X			х	
Botulism, foodborne, wound, and unspecified	!				Clostridium botulinum and botulinum toxin in food, wound or unspecified source	\boxtimes	!			
Botulism, infant			х		Clostridium botulinum and botulinum toxin in infants <12 months old	\times			х	
Brucellosis	!				Brucella species	\mathbf{X}	!			
California serogroup virus disease			х		California serogroup viruses (e.g., Jamestown Canyon, Keystone, Lacrosse)	\bowtie			х	
Campylobacteriosis *4b			х		Campylobacter species *4b				х	
Cancer, excluding non-melanoma skin cancer and including benign and borderline intracranial and CNS tumors *6				6 months	Pathological or tissue diagnosis of cancer, excluding non-melanoma skin cancer and including benign and borderline intracranial and CNS tumors					6 months
Carbon monoxide poisoning			х		Volume fraction ≥0.09 (9%) of carboxyhemoglobin in blood				х	
CD-4 absolute count and percentage of total lymphocytes	Pra		notificati olicable	on not	CD-4 absolute count and percentage of total lymphocytes *7					3 days

10

Practitioner N	otificatio	า			Laboratory	/ Notificat	ion			
	Т	imefram	e (see pa	age 8)			Т	imefram	e (see pa	ige 8)
Reportable Disease or Condition	Suspect Immediately	Immediately	Next Business Day	Other	Evidence of current or recent infection with etiological agents and all associated testing results performed should be reported (e.g. species, serogroup, serotype, and antimicrobial susceptibility *2 results)	Submit isolates or specimens for confirmation *1	Suspect Immediately	Immediately	Next Business Day	Other
Chancroid			х		Haemophilus ducreyi				х	
Chikungunya fever			х		Chikungunya virus				х	
Chikungunya fever, locally-acquired		5.			Chikungunya virus				х	
Chlamydia *8			х		Chlamydia trachomatis				х	
Cholera	!				Vibrio cholerae type O1	X	!			
Ciguatera fish poisoning			х		Laboratory notifica	tion not a	pplicable	e		
Congenital anomalies *9				6 months	Laboratory notifica	tion not a	pplicable	e		
Conjunctivitis in neonates <14 days old			х		Laboratory notifica	tion not a	pplicable	e		
Creutzfeldt-Jakob disease (CJD) *10			х		14-3-3 or tau protein detection in CSF or immunohistochemical test or any brain pathology suggestive of CJD *10				х	
Cryptosporidiosis *4b			х		Cryptosporidium species *4b				х	
Cyclosporiasis			х		Cyclospora cayetanensis	X			х	
Dengue fever *5	!				Dengue virus *5	X	1			
Diphtheria	!				Corynebacterium diphtheriae	X	1			
Eastern equine encephalitis			х		Eastern equine encephalitis virus	X			х	
Ehrlichiosis/anaplasmosis			х		Anaplasma species and Ehrlichia species	X			х	
<i>Escherichia coli</i> infection, Shiga toxin- producing *4b			х		<i>Escherichia coli</i> , Shiga toxin-producing or Shiga toxin *4b	X			х	
Giardiasis, acute *4b			х		Giardia species *4b				х	
Glanders	!				Burkholderia mallei	\mathbf{X}	!			
Gonorrhea *8			х		Neisseria gonorrhoeae				х	
Granuloma inguinale			х		Klebsiella granulomatis				х	
Haemophilus influenzae invasive disease in children <5 years old	!				Haemophilus influenzae isolated from a normally sterile site for all ages*11	X	!			
Hansen's disease (leprosy)			х		Mycobacterium leprae				х	

Florida Department of Health

Practitioner No	otificatio	n			Laboratory	/ Notificat	ion			
	Т	imefram	e (see pa	age 8)			Т	imefram	e (see pa	age 8)
Reportable Disease or Condition	Suspect Immediately	Immediately	Next Business Day	Other	Evidence of current or recent infection with etiological agents and all associated testing results performed should be reported (e.g. species, serogroup, serotype, and antimicrobial susceptibility *2 results)	Submit isolates or specimens for confirmation *1	Suspect Immediately	Immediately	Next Business Day	Other
Hantavirus infection		1			Hantavirus	X		æ		
Hemolytic uremic syndrome (HUS)		2			Laboratory notific	ation not	applicab	le		
Hepatitis A *4b, 12		2			Hepatitis A *4b, 12			9-L		
Hepatitis B, C, D, E, and G *12			х		Hepatitis B, C, D, E, and G viruses, all test results (positive and negative) *12				х	
Hepatitis B surface antigen in pregnant women and children <2 years old			х		Hepatitis B surface antigen (HBsAg) for all ages				х	
Herpes B virus, possible exposure					Laboratory notific	ation not	applicab	le		
Herpes simplex virus (HSV) in infants <60 days old with disseminated infection and liver involvement; encephalitis; and infections limited to skin, eyes, and mouth; anogenital HSV in children <12 years old *7, 13			x		HSV 1 and HSV 2 in children <12 years old *13				x	
Human immunodeficiency virus (HIV) infection				2 weeks	Repeatedly reactive enzyme immunoassay followed by a positive confirmatory test (e.g., Western blot, IFA). Positive result on any HIV virologic test (e.g., p24 AG, nucleic acid test [NAT/NAAT], viral culture). All viral load (detectable and undetectable) test results. *14, 15					3 days
HIV-exposed infants <18 months old born to an HIV-infected woman			х		All HIV test results (e.g., positive and negative immunoassay, positive and negative virologic tests) for children <18 months old					3 days
Human papillomavirus (HPV)	Pr		r notifica plicable	tion not	HPV DNA *3				х	
HPV-associated laryngeal papillomas or recurrent respiratory papillomatosis in children <6 years old; anogenital papillomas in children ≤12 years old *8			х		HPV DNA *3				x	
Influenza-associated pediatric mortality in children <18 years old		7			Influenza virus in children <18 years old who died (if known)	\mathbf{X}		5		
Influenza A, novel or pandemic strains	!				Influenza virus, novel or pandemic strain isolated from humans	\mathbf{X}	!			
Influenza	Pr		r notifica plicable	tion not	Influenza virus, all test results (positive and negative) *3				х	
Lead poisoning (blood lead level ≥5 µg/dL)*4, 16			х		Lead, all blood results (positive and negative) *3, 4, 16				х	
Legionellosis			х		Legionella species				х	
Leptospirosis			х		Leptospira species				х	

Practitioner N	otificatio	n			Laboratory	/ Notificat	ion			
	Г	Timefram	e (see pa	age 8)			Т	imefram	e (see pa	ige 8)
Reportable Disease or Condition	Suspect Immediately	Immediately	Next Business Day	Other	Evidence of current or recent infection with etiological agents and all associated testing results performed should be reported (e.g. species, serogroup, serotype, and antimicrobial susceptibility *2 results)	Submit isolates or specimens for confirmation *1	Suspect Immediately	Immediately	Next Business Day	Other
Listeriosis		7			Listeria monocytogenes	\bowtie		<u></u>		
Lyme disease			х		Borrelia burgdorferi				х	
Lymphogranuloma venereum (LGV)			х		Chlamydia trachomatis				х	
Malaria			х		Plasmodium species	X			х	
Measles (rubeola)	!				Measles virus *16	\mathbf{X}	!			
Melioidosis	!				Burkholderia pseudomallei	X	!			
Meningitis, bacterial or mycotic			х		Isolation or demonstration of any bacterial or fungal species in CSF				х	
Meningococcal disease	!				Neisseria meningitidis isolated from a normally sterile site	X		1		
Mercury poisoning *4a			х		Mercury results indicative of poisoning as specified in the surveillance case definition *4a				х	
Mumps			х		Mumps virus				х	
Neonatal abstinence syndrome (NAS) *18				6 months	Laboratory notifica	ation not	applicab	le	•	
Neurotoxic shellfish poisoning		2			Brevetoxin associated with neurotoxic shellfish poisoning as specified in the surveillance case definition *4a			2		
Paratyphoid fever *4b		7			Salmonella serotypes Paratyphi A, Paratyphi B, and Paratyphi C *4b	X		<u></u>		
Pertussis		F			Bordetella pertussis			F		
Pesticide-related illness and injury, acute *4			х		Laboratory results as specified in the surveillance case definition *4				х	
Plague	!				Yersinia pestis	\mathbf{X}	!			
Poliomyelitis	!				Poliovirus	X	!			
Psittacosis (ornithosis)			х		Chlamydophila psittaci	\bowtie			х	
Q Fever			х		Coxiella burnetii	\mathbf{X}			х	
Rabies, animal or human		2			Rabies virus in animal or human		1			
Rabies, possible exposure *19	!				Laboratory notifica	tion not a	pplicable)		
Respiratory syncytial virus	Pra	ictitioner app	notificati licable	on not	Respiratory syncytial virus, all test results (positive and negative) *3				х	

Florida Department of Health

Practitioner No	otificatio	n			Laboratory	v Notificat	ion			
	Г	Timefram	e (see pa	age 8)			Т	imefram	e (see pa	ige 8)
Reportable Disease or Condition	Suspect Immediately	Immediately	Next Business Day	Other	Evidence of current or recent infection with etiological agents and all associated testing results performed should be reported (e.g. species, serogroup, serotype, and antimicrobial susceptibility *2 results)	Submit isolates or specimens for confirmation *1	Suspect Immediately	Immediately	Next Business Day	Other
Ricin toxin poisoning	!				Ricinine (from <i>Ricinus communis</i> castor beans)	\times	1			
Rocky Mountain spotted fever and other spotted fever rickettsioses			х		Rickettsia rickettsii and other spotted fever Rickettsia species	X			х	
Rubella	!				Rubella virus *17	X	!			
St. Louis encephalitis			х		St. Louis encephalitis virus	\mathbf{X}			х	
Salmonellosis *4b			х		Salmonella species *4b	\mathbf{X}			х	
Saxitoxin poisoning (paralytic shellfish poisoning)			х		Saxitoxin				х	
Severe acute respiratory disease syndrome associated with coronavirus infection	!				Coronavirus associated with severe acute respiratory disease	\mathbf{X}	!			
Shigellosis *4b			х		Shigella species *4b				х	
Smallpox	!				Variola virus (orthopox virus)	\mathbf{X}	!			
Staphylococcal enterotoxin B poisoning		7			Staphylococcal enterotoxin B	\mathbf{X}				
Staphylococcus aureus infection, intermediate or full resistance to vancomycin (VISA, VRSA)		2			Staphylococcus aureus, intermediate or full resistance to vancomycin (VISA, VRSA); laboratory results as specified in the surveillance case definition *4	\mathbf{X}		2		
Staphylococcus aureus invasive infection	Pra		notificatio licable	on not	Staphylococcus aureus isolated from a normally sterile site *3				х	
Streptococcus pneumoniae invasive disease in children <6 years old			х		Streptococcus pneumoniae isolated from a normally sterile site for all ages *20				х	
Syphilis			х		Treponema pallidum				х	
Syphilis in pregnant women and neonates		1			<i>Treponema pallidum</i> in pregnant women and neonates					
Tetanus			х		Clostridium tetani				х	
Trichinellosis (trichinosis)			х		Trichinella spiralis				х	
Tuberculosis (TB) *21			х		Mycobacterium tuberculosis complex *21	\bowtie			х	
Tularemia	!				Francisella tularensis	\bowtie	!			
Typhoid fever *4b		<u>7</u>			Salmonella serotype Typhi *4b	\bowtie		5		
Typhus fever, epidemic	!				Rickettsia prowazekii	\bowtie	!			
Vaccinia disease	!				Vaccinia virus	\bowtie	!			

14

Practitioner N	otificatio	n			Laboratory	/ Notificati	ion			
	٢	imefram	e (see pa	age 8)			Ti	imeframe	e (see pa	ge 8)
Reportable Disease or Condition	Suspect Immediately	Immediately	Next Business Day	Other	Evidence of current or recent infection with etiological agents and all associated testing results performed should be reported (e.g. species, serogroup, serotype, and antimicrobial susceptibility *2 results)	Submit isolates or specimens for confirmation *1	Suspect Immediately	Immediately	Next Business Day	Other
Varicella (chickenpox) *22			Х		Varicella virus				х	
Venezuelan equine encephalitis	1				Venezuelan equine encephalitis virus	Χ	!			
Vibriosis (infections of <i>Vibrio</i> species and closely related organisms, excluding <i>Vibrio cholerae</i> type O1)			х		Vibrio species excluding Vibrio cholerae type O1, Photobacterium damselae (formerly V. damsela), and Grimontia hollisae (formerly V. hollisae)	X			x	
Viral hemorrhagic fevers	!				Arenaviruses (e.g., Lassa, Machupo, Lujo, new world), Filoviruses (e.g., Ebola, Marburg), or viruses not otherwise listed that cause viral hemorrhagic fever	X	!			
West Nile virus disease			х		West Nile virus	X			х	
Yellow fever	!				Yellow fever virus	X		B		
Zika fever *5	!				Zika virus *5	\mathbf{X}	!			

V. Notations, Table of Reportable Diseases or Conditions to Be Reported

Suspect Immediately: see page 8 for additional information on notification timeframes.

Immediately: see page 8 for additional information on notification timeframes.

- † This includes human cases, clusters, or outbreaks spread person-to-person, by animals or vectors or from an environmental, foodborne or waterborne source of exposure; those that result from a deliberate act of terrorism; and unexplained deaths possibly due to unidentified infectious or chemical causes.
- This includes the identification of etiological agents that are suspected to be the cause of clusters or outbreaks spread person-to-person; by animals; by vectors; or from an environmental, foodborne, or waterborne source of exposure. This also includes etiological agents that are suspected to be the cause of clusters or outbreaks resulting from a deliberate act of terrorism and unexplained deaths due to unidentified infectious or chemical causes.
- *1 Submission of isolates or specimens for confirmation to the Department's Bureau of Public Health Laboratories (BPHL):
 - a. Each laboratory that obtains a human isolate or a specimen from a patient shall send isolates or specimens (such as sera, slides or diagnostic preparations) for confirmation or additional characterization of the organism.
 - b. Hospitals, practitioners and laboratories submitting specimens for reportable laboratory tests, pursuant to subsection 64D-3.031(3), Florida Administrative Code, are required to supply the laboratories with sufficient information to comply with the provisions of this section.
 - c. For the address of the closest BPHL location, see page 2.
 - d. Laboratories shall submit isolates or specimens for confirmation or additional characterization of the organism for reportable diseases listed in the *Table of Reportable Diseases or Conditions to Be Reported* (see pages 10-15).
 - e. Laboratories are not prohibited from submitting isolates or specimens from a patient for a disease or condition that is not designated in the *Table of Reportable Diseases or Conditions to Be Reported* (see pages 10-15).
 - f. Submission should occur within two weeks from the time the isolate or specimen is received by the laboratory, unless otherwise noted by the Department.
 - *2 Include minimum inhibitory concentration (MICs) zone sizes for disk diffusion, MICs for E-test or agar dilution and interpretation (susceptible, intermediate, resistant).
 - *3 Paper reports are not required. Notification is only required for laboratories performing electronic laboratory reporting as described in subsection 64D-3.031(5), Florida Administrative Code.
 - *4 a. Surveillance Case Definitions for Select Reportable Diseases in Florida are located on the Department's website (www.FloridaHealth.gov/DiseaseCaseDefinitions).
 - b. Reports should include occupational information (e.g., employer name, address, phone number).
 - *5 Report on suspicion of infection. Reports should occur without delay on initial suspicion but reports do not need to be made after-hours. Reports on initial suspicion are to allow for disease control measures to be immediately implemented (such as notification of mosquito control) in order to prevent local transmission.

V. Notations, Table of Reportable Diseases or Conditions to Be Reported (Continued)

- *6 Notification within six months of diagnosis and within six months of each treatment.
- *7 All CD-4 absolute counts and percentage of total lymphocytes, with or without confirmed HIV infection.
- *8 Child abuse should be considered by a practitioner upon collection of a specimen for laboratory testing in any child ≤12 years old, excluding neonates. Reporting of a sexually transmissible disease case to the county health department does not relieve the practitioner of their mandatory reporting responsibilities regarding child abuse pursuant to section 39.201, Florida Statutes.
- *9 Exceptions are located in Rule 64D-3.035, Florida Administrative Code.
- *10 Practitioners should contact the Department's Bureau of Epidemiology at (850) 245-4401 to arrange appropriate autopsy and specimen collection.
- *11 For *Haemophilus influenzae* test results associated with people >4 years old, only electronic reporting is required, in accordance with subsection 64D-3.031(5), Florida Administrative Code.
- *12 Special reporting requirements for hepatitis B (acute and chronic), C (acute and chronic), D, E, G: Positive results should be accompanied by any hepatitis testing conducted (positive and negative results), all serum aminotransferase levels, and if applicable, pregnancy test result or indication that testing was conducted as part of a pregnancy panel. For laboratories performing electronic laboratory reporting as described in subsection 64D-3.031(5), Florida Administrative Code, all test results performed (positive and negative) are to be submitted, including screening test results (positive and negative).
- *13 A 4-fold titer rise in paired sera by various serological tests confirmatory of primary infection; presence of herpes-specific IgM suggestive but not conclusive evidence of primary infection.
- *14 Special requirements for Serologic Testing Algorithm for Recent HIV Seroconversion (STARHS):
 - a. Laboratories that report confirmed positive HIV tests in persons ≥13 years old must also report STARHS results.
 - b. In lieu of producing this test result, each laboratory that reports a confirmed positive HIV test must submit a sample for additional testing using STARHS. The laboratory is permitted to send the remaining blood specimen or an aliquot of at least 0.5 mL to BPHL-Jacksonville or BPHL-Miami (see page 2 for addresses).
 - c. Laboratories electing to send a blood specimen will contact the Incidence and Molecular Coordinator, HIV/AIDS Section, at (850) 245-4430 to receive specimen maintenance and shipping instructions.
 - d. Nationally based laboratories with an existing contract to ship specimens directly to a STARHS laboratory designated by the Centers for Disease Control and Prevention will not be required to send a specimen to the Department.
- *15 Laboratories shall submit a genotype for each confirmed positive HIV specimen on a FASTA file containing the nucleotide sequence data, including the protease and reverse transcriptase regions must be reported.

V. Notations, Table of Reportable Diseases or Conditions to Be Reported (Continued)

- *16 Special reporting requirements for reporting blood lead tests:
 - a. All blood lead tests (positive and negative results) must be submitted to the Department electronically. This reporting requirement pertains to all laboratories and practitioners that conduct on-site blood lead analysis (i.e., practitioners that use portable lead care analyzers or other devices to perform blood lead analysis).
 - b. Results produced by on-site blood lead analysis devices (i.e., portable lead care analyzers or other portable devices used to perform blood lead analysis) <5 μg/dL must be reported within 10 business days. Electronic reporting of results is preferred.
- *17 IgM serum antibody or viral culture test orders for measles (rubeola) or rubella should be reported as suspect immediately, but not IgG orders or results.
- *18 Each hospital licensed under Chapter 395, Florida Statutes shall report each case of neonatal abstinence syndrome occurring in an infant admitted to the hospital. If a hospital reports a case of neonatal abstinence syndrome to the Agency for Health Care Administration in its inpatient discharge data report, pursuant to Chapter 59E-7, Florida Administrative Code, then it need not comply with the reporting requirements of subsection 64D-3.029(1), Florida Administrative Code.
- *19 Exposure to rabies (as defined in Rule 64D-3.028, Florida Administrative Code) that results in rabies prophylaxis for the person exposed, rabies testing, isolation or quarantine of the animal causing the exposure.
- *20 For *Streptococcus pneumoniae* test results associated with people >5 years old, only electronic reporting is required, in accordance with subsection 64D-3.031(5), Florida Administrative Code.
- *21 Test results must be submitted by laboratories to the Department's Tuberculosis Control Section, 4052 Bald Cypress Way, Bin A20, Tallahassee, Florida 32399-1717, (850) 245-4350.
- *22 Practitioners shall also provide dates of varicella vaccination.

	eportable Disea			۱F	lorida	FIORID
	Rule 64D-3.029. Florida Administrative Code. r				Florida Department	of Heal
Co Co Ple dise	d you know that you are required your local county health departs u are an invaluable part of disease surv ase visit www.FloridaHealth.gov/DiseaseF ease or condition, contact your CHD epide w.FloridaHealth.gov/CHDEpiContact). If u aartment's Bureau of Epidemiology at (850	eillance in Flo eporting for mo niology progra nable to reach	rida! rre information. To report a m	! *	Report immediately 24/7 upon initial suspicion or test order Report immediately 24/7 Report next business day Other reporting timeframe	laborator by phone
*	Outbreaks of any disease, any case, cluster of cases, or exposure to an infectious or non-infectious disease, condition, or agent found in the general community or any defined setting (e.g., hospital, school, other institution) not listed that is of urgent public health significance Acquired immune deficiency syndrome (AIDS) Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not otherwise listed Babesiosis Botulism, infant Brucellosis California serogroup virus disease Campylobacteriosis Cancer, excluding non-melanoma skin cancer and including benign and borderline intracranial and CNS tumors Carbon monoxide poisoning	disease Hansen': Hantavir Hepotitis Hepatitis Hepatitis Hepatitis Herpes E Herpes S <60 days infection encepha skin, eye in children HUV-exp(born to a Human i associat recurren children papillom	ic uremic syndrome (HUS) 5 A 5 B, C, D, E, and G 6 B surface antigen in pregnant and children <2 years old 8 virus, possible exposure simplex virus (HSV) in infants 6 old with disseminated and liver involvement; litis; and infections limited to es, and mouth; anogenital HSV en <12 years old mmunodeficiency virus (HIV)	! ! ! !	Pesticide-related illness and acute Plague Poliomyelitis Psittacosis (ornithosis) Q Fever Rabies, animal or human Rabies, possible exposure Ricin toxin poisoning Rocky Mountain spotted feve spotted fever rickettsioses Rubella St. Louis encephalitis Salmonellosis Saxitoxin poisoning (paralyl poisoning) Severe acute respiratory dis syndrome associated with or infection Shigellosis Smallpox Staphylococcal enterotoxin Staphylococcal enterotoxin Staphylococcal enterotoxin Staphylococcal enterotoxin	rer and othe tic shellfish sease oronavirus B poisonin ction, cc to
•	Chancroid Chikungunya fever	in childr	en <18 years old soning (blood lead level	٠	Streptococcus pneumoniae disease in children <6 years	
<u>æ</u>	Chikungunya fever, locally acquired	≥5 µg/dL		•	Syphilis	and
•	Chlamydia	Legionel		23	Syphilis in pregnant women neonates	anu
	Cholera (Vibrio cholerae type O1)	Leptosp		٠	Tetanus	
•	Ciguatera fish poisoning	Listerios		٠	Trichinellosis (trichinosis)	
÷	Congenital anomalies	Lyme dis		٠	Tuberculosis (TB)	
•	Conjunctivitis in neonates <14 days old		granuloma venereum (LGV)	1	Tularemia	
•	Creutzfeldt-Jakob disease (CJD)	• Malaria		-	Typhoid fever (Salmonella s	erotype
•	Cryptosporidiosis	-	(rubeola)		Typhi)	
	Cyclosporiasis	! Melioido		!	Typhus fever, epidemic	
	Dengue fever	-	is, bacterial or mycotic	1	Vaccinia disease	
	Diphtheria	! Meningo	coccal disease	٠	Varicella (chickenpox)	
•	Eastern equine encephalitis	 Mercury 	poisoning	!	Venezuelan equine encepha	litis
•	Ehrlichiosis/anaplasmosis Escherichia coli infection, Shiga toxin-	-	l abstinence syndrome (NAS) kic shellfish poisoning	•	Vibriosis (infections of Vibri and closely related organism excluding Vibrio cholerae ty	ns,
•	producing Giardiasis, acute		noid fever (Salmonella	1	Viral hemorrhagic fevers	
-	Glanders		es Paratyphi A, Paratyphi B, and	٠	West Nile virus disease	
•		Paratyph	ni C)	!	Yellow fever	
	Gonorrhea	🖀 Pertussi	S	1	Zika fever	

*Section 381.0031 (2), Florida Statutes, provides that "Any practitioner licensed in this state to practice medicine, osteopathic medicine, chiropractic medicine, naturopathy, or veterinary medicine; any hospital licensed under part 1 of chapter 395; or any laboratory licensed under chapter 483 that diagnoses or suspects the existence of a disease of public health significance shall immediately report the fact to the Department of Health." Florida's county health departments serve as the Department's representative in this reporting requirement. Furthermore, section 381.0031 (4), Florida Statutes, provides that "The Department shall periodically issue a list of infectious or noninfectious diseases determined by it to be a threat to public health and therefore of significance to public health and shall furnish a copy of the list to the practitioners..."

Florida Department of Health

VII. Practitioner Disease Notification Form

Form available electronically at www.FloridaHealth.gov/DiseaseReporting

er Rule 64D-3.029, F	Iorida <u>Adminis</u>	trative <u>C</u>	ode, prom <u>ulgated C</u>	october 20, 201	6 (lab <u>orato</u> i	ry rep <u>ortina</u>	requiremer	its differ			
Patient Information					198	edical Infor	8				
SSN:						MRN:					
Last name:					_ D:	ate onset:			Da	te diagno	osis:
First name:							O Yes	O No		nknown	
Middle:					Hos	spitalized:		O No	1000	nknown	
Parent name:					- HUS				001	IKIIOWII	
				0.14			Hospital nam	C. 1993 C. 1997			avendes total. A
Gender:	 Male Female 		If female, pregnant:				Date admitte	d:		Date disc	harged:
	O Unknown		1 - 5	O Unknown	Ir	nsurance:					
Birth date:			Death date:			Treated:	O Yes	O No	OUr	nknown	
	The second second	- ndion/Al		Contraction and Contraction	-33		Specify				
Race:	 American I Asian/Paci 			 White Other 			Specify treatment:				
	O Black	no iolaria		O Unknown							
Ethnicity:	O Hispanic				L	aboratory	O Yes	O No	Oth	nknown	Attach labora
,	O Non-Hispa	nic				testing:	0 103	0 110	001	IKIIOWII	result(s) if avail
	O Unknown										
Address:						ovider Info	rmation				
ZIP:			r:		P	Physician:					
City:				State:	_	Address:					
Home phone:					_	City:				State:	ZIP:
Other phone:						Phone:					
Emergency phone:	55				-	Fax:					
Email:						Email:					
Reportable Disea	.med.miami.edu). All ot		s in Florida	DepiContact. See www.l lential Case Report Form alth department for thes alth Care Administration the patient resides. Notify upor	n suspicio	v/DiseaseReporti evised March 2013 w.FloridaHealth.go charge data report			y upor	n diagnos	sis 24/7 by pho
Reportable Disea	.med.miami.edu). All ot		s in Florida Gonorrhea	the patient resides.	n suspicio I 🗆 Me	v/DiseaseReporti evised March 2013 w FloridaHealth.go charge data report n 24/7 by p	bhone g		y upor	n diagnos Staphyloc	sis 24/7 by photo occus aureus infecti ate or full resistance
Cancer Data system (http://rcds Reportable Disea Amebic encephalitis Anthrax	.med.miami.edu). All ot		s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza	e invasive	n suspicio I 🗆 Me	v/DiseaseReporti evised March 2013 w.FloridaHealth.go charge data report n 24/7 by p elioidosis eningitis, bacte	nial or mycotic		y upor	Staphyloco intermedia vancomyc Streptocod	sis 24/7 by phono occus aureus infecti ate or full resistance in (VISA, VRSA) ccus pneumoniae in
Reportable Disea	ases and Co	ndition:	s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 1	e invasive	n suspicio	v/DiseaseReporti evised March 2013 w FloridaHealth.go charge data report n 24/7 by p	nial or mycotic isease		iy upor	n diagnos Staphyloco intermedia vancomyc Streptoco disease in	occus aureus infecti ate or full resistance in (VISA, VRSA)
Cancer Data System (http://rcds Reportable Disea Amebic encephalitis Anthrax Arsenic poisoning	ases and Co	ndition:	s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 Hansen's disease (lepr	e invasive	n suspicio	v/DiseaseReporti evised March 2013 w.FloridaHeath.go charge data report n 24/7 by p elioidosis eningitis, bacte ningococcal d ercury poisonin	nial or mycotic isease		iy upor	n diagnos Staphyloc intermedia vancomyc Streptocoo disease in Syphilis	sis 24/7 by phono occus aureus infecti ate or full resistance in (VISA, VRSA) ccus pneumoniae in
Cancer Uata system (http://cds Reportable Disea Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w	ases and Con		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in chidren <5 y Hansen's disease (lapp Hantavirus infection	e invasive years old osy)	n suspicio Me Me Me Me Mu	v/DiseaseReporti evised March 2013 w.FloridaHeath.go charge data report n 24/7 by p elioidosis eningitis, bacte ningococcal d ercury poisonin	nial or mycotic isease			Staphyloci intermedia vancomyc Streptocod disease in Syphilis Syphilis in neonates	sis 24/7 by photo occus aureus infect tate or full resistance in (VISA, VRSA) occus pneumoniae in children <6 years o
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified	ases and Con		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi	e invasive years old osy)	n suspicio	v/DiseaseReporti evised March 2013 the Floridariealth.go charge data report in 24/7 by p elioidosis mingitis, bacte mingococcal d ercury poisonin imps urotoxic shellifi feve	rial or mycotic isease ig ish poisoning r (Salmonella	R Notif	y upor	Staphyloci intermedia vancomyc Streptocod disease in Syphilis Syphilis in neonates Tetanus	sis 24/7 by pho occus aureus infect ate or full resistance in (VISA, VRSA) cus pneumoniae in children <6 years o pregnant women a
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified	ases and Con		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A	e invasive years old osy) rome (HUS)	n suspicio	v/DiseaseReporti evised March 2013 Priordarieath go charge data report in 24/7 by p elioidosis mingitis, bacte mingococcal d ercury poisonin imps urotoxic shellfi ratyphoid feve rotypes Paraty d Paratyphi C)	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp	R Notif	iy upor	Staphyloc intermedia vancomyc Streptocoo disease in Syphilis Syphilis in neonates Tetanus Trichinello	sis 24/7 by phoi occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years o pregnant women a vsis (trichinosis)
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant	ases and Co otherwise listed round, and	ndition:	s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus influenza</i> disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B surface anti	e invasive years old osy) rome (HUS) d G igen in pregnant	n suspicio	v/DiseaseReporti evised March 2013 F Floridariealth go charge data report in 24/7 by p elioidosis eningitis, bacte eningococcal d ercury poisonin imps urotoxic shellfi ratyphoid feve rotypes Paraty d Paratyphi C) rtussis	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp	Notii		Staphyloci intermedia vancomyc Streptocoo Streptocoo Syphilis Syphilis in neonates Tetanus Trichinello Tuberculo	sis 24/7 by phon occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in i children <6 years o pregnant women a usis (trichinosis) sis (TB)
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis	ases and Co otherwise listed round, and	ndition:	s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus</i> influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B surface anti women and children <2	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old	n suspicio	wDiseaseReport weised March 2013 w Fordiatieath go charge data report n 24/7 by p liloidosis mingitis, bacte mingococcal d recury poisonin mps urotoxic shellfi ratyphoid feve d Paratyphi C) rtussis sticide-related	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp	Notii	iy upor	n diagnos Staphyloc intermedia vancomyc Streptocod disease in Syphilis in neonates Tetanus Trichinello Tuberculo Tularemia	sis 24/7 by phon occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in i children <6 years o pregnant women a usis (trichinosis) sis (TB)
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi	ases and Cor otherwise listed round, and rus disease	ndition:	s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus influenza</i> disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B, surface anti women and children <2 Herpes B virus, possibil Herpes simplex virus (f	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants	n suspicio	v/DiseaseReporti vives dharch 2013 the Tondarised and report of Pondarised and report n 24/7 by p dioidosis mingitis, bacte mingococcal d iningococcal d iningococc	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp	Notii		A diagnos Staphyloc intermedia Vancomyc Streptocod Sysphilis Sysphilis Sysphilis Tetanus Trichinello Tuberculo Tularemia Typhoid fe Typhi)	sis 24/7 by phon occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years o pregnant women a usis (trichinosis) sis (TB) ever (Salmonella set
Cancer Uata system (http://cds Reportable Dises Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis	ases and Cor otherwise listed round, and rus disease	ndition:	s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus</i> influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis B, C, D, E, an Hepatitis B, Surface anti women and children <2 Herpes B virus, possibil Herpes simplex virus (l <60 days old with disse	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure dSV) in infants eminated	n suspicio	v/DiseaseReporti vives dharch 2013 the Tondarised and report of Pondarised and report n 24/7 by p dioidosis mingitis, bacte mingococcal d iningococcal d iningococc	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp	Notii		Staphyloc intermedia vancomyc Streptocod disease in Syphilis Syphilis Tetanus Trichinello Tuberculo Tularemia Typhoid fe Typhii Typhii	sis 24/7 by phoi occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years o pregnant women a usis (trichinosis) sis (TB) ever (<i>Salmonella</i> ser ver, epidemic
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever	ases and Co otherwise listed round, and rus disease oning	ndition:	s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus</i> influenza disease in children <5 Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B surface ant Herpes B virus, possibi Herpes B virus (l <60 days old with disse infection and liver invol encephalitis; and infect	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to	n suspicio	v/DiseaseReporti viveed March 2013 tervised March 2013 the Floridariealth go charge data report m 24/7 by p dioidosis mingoicoccal d arecury poisonin imps urotoxic shellfi ratyphoid feve rotypes Paraty d Paratyphi C) rtussis sticide-related ute ugue liomyelitis ittacosis (orniti	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inj	Notii		n diagnos Staphyloc intermedia vancomyc Streptocor disease in Syphilis in neonates Tetanus Tetanus Trichinello Tuberculo Tularemia Typhi) Typhus fet Vaccinia d	sis 24/7 by phoi occus aureus infect tet or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years o pregnant women a usis (trichinosis) sis (trichinosis) sis (TB) ever (<i>Salmonella</i> ser ver, epidemic lisease
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever, loc	ases and Co otherwise listed round, and rus disease oning		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 y Hansen's disease (lep Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B surface anti women and children <2 Herpes B virus, possibi Herpes Sivirus, possibi Herpes Sivirus, possibi Herpes Surlace anti women and liver invol encephalits; and infect skin, eyes, and mouth; in children <12 years of	e invasive years old osy) rome (HUS) ad G gen in pregnant 2 years old le exposure 45V) in infants eminated ions limited to anogenital HSV Id	n suspicio	v/DiseaseReporti viveed March 2013 tervised March 2013 the Floridariealth go charge data report m 24/7 by p dioidosis mingoicoccal d arecury poisonin imps urotoxic shellfi ratyphoid feve rotypes Paraty d Paratyphi C) rtussis sticide-related ute ugue liomyelitis ittacosis (orniti	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inj	Notii		Staphyloc intermedia vancomyc Streptocod disease in Syphilis Syphilis Syphilis Tetanus Trichinello Tuberculo Tuberculo Tubarculo Tubarculo Vabriella Vacinia d Varicella (sis 24/7 by phon occus aureus infect tet or full resistance in (VISA, VRSA) occus pneumoniae in children <6 years o pregnant women a sis (trichinosis) sis (TB) ever (<i>Salmonella</i> ser ver, epidemic lisease chickenpox)
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever, loc Chlamydia	ases and Co otherwise listed round, and rus disease oning cally acquired		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus</i> influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis B, C, D, E, an Hepatitis B, Surface anti women and children <2 Herpes B virus, possibil Herpes simplex virus (I <60 days old with disse infection and liver invol encephalits; and infect skin, eyes, and mouth; in children <12 years of Human papilomavirus	e invasive e invasive years old osy) rome (HUS) d G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)-	n suspicio	vDiseaseReport weised March 2013 w Floridat-leath go charge data report in 24/7 by p lioidosis iningitis, bacte iningococcal d recury poisonin imps urotoxic shellfi ratyphoid feve d Paratyphi C) rtussis sticide-related de ugue liomyelitis ittacosis (ornitil Fever bies, animal o	rial or mycotic isease Ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inju hosis) r human	Notii		n diagnos Staphyloci intermedia vancomyc Streptocor disease in Syphilis Syphilis Syphilis Syphilis Syphilis Syphilis Syphilis Syphilis Tetanus Trichinello Tuberculo Tuberculo Tubaremia Typhi) Typhi) Typhiy Stacinia d Varicella (Venezuela	sis 24/7 by phoi occus aureus infecti tate or full resistance ccus pneumoniae in i children <6 years o pregnant women a usis (trichinosis) sis (TB) ever (<i>Salmonella</i> ser ver, epidemic lisease chickenpox) an equine encephali infections of <i>Vibrio</i> o
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Chlamydia Cholera (<i>Vibrio cholera</i>	ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1)		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus</i> influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic synd Hepatitis A Hepatitis B, C, D, E, an Hepatitis B surface anti women and children <2 Herpes B virus, possibi Herpes simplex virus (f <60 days old with disse infection and liver invol encephalits; and infect skin, eyes, and mouth; in children <12 years of Human papillomavirus associated laryngeal pr recurrent respiratory pa	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomas or apillomatosis in	n suspicio	vDiseaseReport wised March 2013 w Floridational higo charge data report in 24/7 by p liloidosis iningitis, bacte iningococcal d arcury poisonin imps urotoxic shellfi ratyphoid feve d Paratyphi C) rtussis sticide-related de ugue liomyelitis titacosis (orniti Fever bies, animal o bies, possible	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inju hosis) r human exposure	Notii		A diagnost Staphyloc intermedia vancomyc Streptocod disease in Syphilis Syphilis Syphilis Tetanus Trichinello Tuberculo Tuberculo Tubarenia Typhoid fe Typhis Vaccinia d Varicella (Venezuela Vibriosis (and closel	sis 24/7 by phoi occus aureus infect te or full resistance in (VISA, VRSA) occus pneumoniae in children <6 years o pregnant women a usis (trichinosis) sis (trichinosis) sis (trichinosis) sis (TB) ever (Salmonella ser ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio s y related organisms
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Cabon monoxide pois Chancroid Chaixungunya fever Chikungunya fever, loc Chiarydia Cholera (<i>Vibrio cholera</i> Ciguatera fish poisonir	ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1)		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus influenza</i> disease in children <5 j Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B surface anti women and children <2 Herpes B virus, possibi Herpes simplex virus (l <60 days old with disse infection and liver invol encephalitis; and infect skin, eyes, and mouth; in children <12 years ol Human papilomavirus associated laryngel pa recurrent respiratory pa children <6 years old; a	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old te exposure 4SV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomatosis in anogenital	n suspicio	wDiscaseReport working and the construction working and the construction of the construction of the construction working of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction o	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inju hosis) r human exposure ning	Notif		A diagnost Staphyloc intermedia vancomyc Streptocod disease in Syphilis in neonates Tetanus Trichinello Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Varicella (Venezuela Vibriosis (and close)	sis 24/7 by phoi occus aureus infecti tate or full resistance ccus pneumoniae in i children <6 years o pregnant women a usis (trichinosis) sis (TB) ever (<i>Salmonella</i> ser ver, epidemic lisease chickenpox) an equine encephali infections of <i>Vibrio</i> o
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Cahon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Chianydia Cholera (<i>Vibrio cholera</i> Ciguatera fish poisonin Conjunctivitis in neona	ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) tes <14 days old		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 y Hantavirus infection Hemolytic uremic synd Hepatitis A Hepatitis B, C, D, E, an Hepatitis B, Surface anti women and children <2 Herpes B virus, possibi Herpes B virus, possibi Herpes B virus, possibi Herpes B virus (1 <60 days old with disse infection and liver invol encephalits; and infect sin, eyes, and mouth; in children <12 years old Human papillomavirus associated laryngeal pir recurrent respiratory pa children <6 years old; a papillomas in children <2	e invasive years old osy) rome (HUS) ad G iggen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomas or apillomatosis in anogenital s12 years old andemic strains	n suspicio	vDiseaseReport weised March 2013 w Floridational higo charge data report in 24/7 by p liloidosis iningitis, bacte iningococcal d arcury poisonin imps urotoxic shellfi ratyphoid feve d Paratyphi C) rtussis sticide-related de ugue liomyelitis titacosis (orniti Fever bies, animal o bies, possible in toxin poisor oky Mountain ; er spotted fev	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inju hosis) r human exposure	Notii		n diagnos Staphyloci intermedia vancomyc Streptocox disease in Syphilis in neonates Syphilis in neonates Tetanus Tetanus Trichinello Tuberculo Tuberculo Tubaremia Typhoid fe Typhii Typhiy Typhiy Syphoid fe Typhiy Typhus fe Vaccinia d Varicella (Venezuela (and closel excluding Viral hemo	sis 24/7 by phon occus aureus infect tate or full resistance in (VISA, VRSA) cous pneumoniae in children <6 years of pregnant women a sis (trichinosis) sis (TB) ever (Salmonella sel ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio o y related organisms
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Cahancroid Chikungunya fever Chikungunya fever, loc Chianydia Cholera (<i>Vibrio cholera</i> Ciguatera fish poisonin Conjunctivitis in neona Creutzfeldt-Jakob dise	ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) tes <14 days old		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus influenza</i> disease in children <5 ; Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B surface anti women and children <2 Herpes B virus, possibi Herpes simplex virus (l <60 days old with disse infection and liver invol encephalitis; and infect skin, eyes, and mouth; in children <12 years ol Human papilomavirus associated laryngeal pa recurrent respiratory pa children <6 years old; a papillomas in children <2 Influenza A, novel or pa Influenza Associated pa	e invasive years old osy) rome (HUS) d G igen in pregnant 2 years old te exposure 45V) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomas or apillomas or apillomatoris in anogenital 512 years old	n suspicio	wDiseaseReports wFlordmarch 2013 wFlordmarch 2013 wFlordmarch 2013 wFlordmarch 2013 wFlordmarch 2013 wFlordmarch 2014 in 24/7 by p liloidosis uningits, bacte inningococcal di recury poisonin unps urotoxic shellfin ratyphoid feve d Paratyphi C) rtussis sticide-related ute unyelitis titacosis (ornitil Fever bies, animal o bies, possible sin toxin poison cky Mountain uer spotted feve bella	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inji hosis) r human exposure ning spotted fever a er rickettsioser	Notii		n diagnos Staphyloci intermedia vancomyc Streptocox disease in Syphilis in neonates Syphilis in neonates Tetanus Tetanus Trichinello Tuberculo Tuberculo Tubaremia Typhoid fe Typhii Typhiy Typhiy Syphoid fe Typhiy Typhus fe Vaccinia d Varicella (Venezuela (and closel excluding Viral hemo	sis 24/7 by phoi occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years of pregnant women a usis (trichinosis) sis (TB) ever (Salmonella set ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio e y related organisms Vibrio cholerae type orrhagic fevers virus disease
Cancer Unta system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Cahancroid Chikungunya fever Chikungunya fever Ciguatera fish poisonin Conjunctivitis in neona Creutzfeldt-Jakob dise Cryptosporidiosis	ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) tes <14 days old		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus influenza</i> disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis B, C, D, E, an Hepatitis B surface anti women and children <2 Herpes B virus, possibi Herpes simplex virus (l <60 days old with disse infection and liver invol encephalitis; and infect skin, eyes, and mouth; in children <12 years of Human papillomavirus associated laryngeal pr children <6 years old; a papillomas in children <1 Influenza, novel or pu Influenza <18 years of Lead poisoning (blood	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id	n suspicio	wDiseaseReports wFordMarch 2010 charge data report in 24/7 by p dioidosis mingitis, bacte mingococcal di recury poisonin imps urotoxic shellfi ratyphoid feve d Paratyphi C) rtussis sticide-related ute ue bies, animal o bies, possible sin toxin poison cky Mountain iner spotted feve bella Louis enceph	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inji hosis) r human exposure ning spotted fever a er rickettsioser	Notii		A diagnost Staphyloc intermedia vancomyc Streptocor disease in Syphilis Syphilis Syphilis Syphilis Syphilis Tetanus Tetanus Trichinello Tuberculo Tularemia Typhoi Typhoid fa Typhoid Varicella (Venezuela Vibriosis (i and closel excluding Viral hemo West Nile Yellow fev Zika fever	sis 24/7 by phoi occus aureus infect tet or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years of pregnant women a asis (trichinosis) sis (trichinosis) sis (tTB) ever (<i>Salmonella</i> ser ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio 4 y related organisms Vibrio cholerae type orrhagic fevers virus disease rer
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, fodoborne, w unspecified Botulism, fodoborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Canbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Chlamydia Cholera (<i>Vibrio cholera</i> Ciguatera fish poisonir Conjunctivitis in neona Creutzfeldt-Jakob dise Cryptosporidiosis	ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) tes <14 days old		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis B, C, D, E, an Hepatitis B, urface anti women and children <2 Herpes B virus, possibi Herpes simplex virus (l <60 days old with disse infection and liver invol encephalitis; and infect skin, eyes, and mouth; in children <12 years of Human papillomas in children si precurrent respiratory pa- children <18 years of Lead poisoning (blood 25 ug/dL)	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id	n suspicio	vibiseaseReporti vive di March 2013 in 24/7 by p diloidosis eningitis, bacte eningococcal di recury poisonin mps urotoxic shellifi ratyphoid feve di Paratyphi C) rtussis sticide-related de iliomyelitis ittacosis (ornitl Fever bies, possible sin toxin poisor cky Mountain ier spotted fev bella Louis enceph Imonellosis	rial or mycotic isease ig ish poisoning r (Salmonella phi A, Paratyp illness and inju hosis) r human exposure ning spotted fever a er rickettsioses alitis	Notif hi B, ury,		n diagnos Staphyloci intermedia vancomyc Streptocox disease in Syphilis Syphilis Syphilis Syphilis Syphilis Syphilis Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Varicella (Venezuela Vibriosis (and closel excluding Viral hemo West Nile Yellow fev Zika fever Outbreaks	sis 24/7 by phon occus aureus infect tate or full resistance in (VISA, VRSA) ocus pneumoniae in children <6 years oc pregnant women a sis (trichinosis) sis (TB) ever (Salmonella set ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio s y related organisms y related organisms y related organisms porthagic fevers vitrus disease ter
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Charorid Cholera (<i>Vibrio cholera</i> Conjunctivitis in neona Corgutzfeldt-Jakob dise Cryptosporidiosis Dengue fever	ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) tes <14 days old		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B, Surface ant women and children <2 Herpes B virus, possibl Herpes Simplex virus (l <60 days old with disse infection and liver invol encephalitis; and infect skin, eyes, and mouth; in children <12 years ol; associated laryngeal py recurrent respiratory pe children <6 years ol; applilomas in childrens Influenza-associated pi in children <18 years o Lead poisoning (blood ≥5 ug/dL) Legionellosis	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id	n suspicio	vDiseaseReporti version March 2013 version March 2013 version March 2013 version March 2013 version March 2014 version M	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inji hosis) r human exposure ning spotted fever a er rickettsioses alitis ng (paralytic s	Notif hi B, ury, and s		Staphyloc intermedia vancomyc Streptocod disease in Syphilis Syphilis Syphilis Syphilis Tetanus Trichinello Tuberculo Tuberculo Tubarendo Tubarendo Varicella (Venezuela Vibriosis (and closel excluding Viral hemo West Nile Yellow fev Zika fever Outbreaks cluster of i infectious	sis 24/7 by phon occus aureus infect te or full resistance in (VISA, VRSA) occus pneumoniae in children <6 years o pregnant women a sis (trichinosis) sis (trichinosis) sis (tTB) ever (Salmonella ser ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio cholerae type orrhagic fevers virus disease rer a of any disease, an cases, or exposure or non-infectious di
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, fodoborne, w unspecified Botulism, fodoborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Canbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Chlamydia Cholera (<i>Vibrio cholera</i> Ciguatera fish poisonir Conjunctivitis in neona Creutzfeldt-Jakob dise Cryptosporidiosis	ases and Co otherwise listed round, and rus disease oning sally acquired ase type O1) ig tes <14 days old ase (CJD)		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B, Surface ant women and children <2 Herpes B virus, possibl Herpes Simplex virus (l <60 days old with disse infection and liver invol encephalitis, and infect skin, eyes, and mouth; in children <12 years old; a papillomas in children = Influenza-associated pi in children <18 years ol Lead poisoning (blood 25 ug/dL) Legionellosis	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id	n suspicio	wDiseaseReport wriend Markh 2013 wr FloridaHealth go charge data report in 24/7 by p lioidosis mingitis, bacte mingococcal d wrcury poisonin mps urotoxic shellfit ratyphoid feve ratyphoid feve ratyphoid feve ratyphoid feve sticide-related the ugue liomyelitis ittacosis (ornitil Fever bies, animal o bies, possible sin toxin poison cky Mountain - ter spotted fev bella Louis enceph Imonellosis xitoxin poisoni soning) vere acute res	rial or mycotic isease ig ish poisoning r (Salmonella phi A, Paratyp illness and inju hosis) r human exposure ning spotted fever a er rickettsioses alitis	Notif hi B, ury, and s hellfish		Staphyloc intermedia vancomyc Streptocod disease in Syphilis Syphilis in neonates Tetanus Trichinello Tuberculo Tularemia Typhoid fa Typhoid fa Typhoid fa Vaccinia d Varicella (Venezuela Vibriosis (and closel excluding Viral hemo West Nile Yellow feve Cluster of a cluster of a cluster of a cluster of a cluster of a cluster of a cluster of a condition, general cc	sis 24/7 by phoi occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years c pregnant women a asis (trichinosis) sis (trichinosis) sis (TB) ever (<i>Salmonella</i> ser ver, epidemic lisease chickenpox) an equine encephali infections of <i>Vibrio</i> s yrelated organisms <i>Vibrio cholerae</i> type orrhagic fevers virus disease rer of any disease, an or on-infectious dii or agent found in th
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Charorid Chigatera fish poisonir Conjunctivitis in neona Creutzfeldt-Jakob dise Cryptosporidiosis Dengue fever Diphtheria	ases and Co otherwise listed round, and rus disease oning cally acquired as type O1) gg tes <14 days old ase (CJD)		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic synd Hepatitis A Hepatitis B, C, D, E, an Hepatitis B surface anti women and children <2 Herpes B virus, possibl Herpes B virus, possibl necephalitis, and infect skin, eyes, and mouth; in children <12 years of Human papillomavirus associated laryngeal papillomas in children = Influenza-associated pin in children <18 years of Legionellosis Leptospirosis	e invasive years old osy) rome (HUS) ad G igen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id	n suspicio	viDiseaseReporti vivend March 2013 the Tondaristication of Pondaristication of Pondari	rial or mycotic isease g ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inji hosis) r human exposure ning spotted fever a er rickettsioses alitis ng (paralytic si spiratory diseas	Notif hi B, ury, and s hellfish		n diagnos Staphyloci intermedia vancomyc Streptocox disease in Syphilis in neonates Tetanus Trichinello Tuberculo Tuberculo Tubarculo Tubarculo Tubarculo Tubarculo Tubarculo Tubarculo Tubarculo Tubarculo Tubarculo Uarcenia d Varicella (Venezuela Vibriosis (and closel excluding Viral hemo West Nile Yellow fev Zika fever Outbreaks cluster of infectious condition, general cc	sis 24/7 by phoi occus aureus infect tate or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years of pregnant women a sis (trichinosis) sis (TB) ever (Salmonella set ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio e y related organisms Vibrio cholerae type orrhagic fevers virus disease rer of any disease, an cases, or exposure or agent found in th mmunity or any det
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Charnorid Chikungunya fever, loc Charnorid Chikungunya fever, loc Charnorid Chikungunya fever, loc Charnorid Chikungunya fever, loc Chiarnydia Cholera (<i>Vibrio cholera</i> Ciguatera fish poisonir Conjunctivitis in neona Creutzfeldt-Jakob dise Cryptosporialosis Dengue fever Diphtheria Eastern equine encepf Ehrlichiosis/anaplasmo	ases and Co ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) rus <pre>cally acquired tes <14 days old ase (CJD)</pre>		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Haemophilus influenza disease in children <5 y Hantavirus infection Hemolytic uremic synd Hepatitis A Hepatitis B, C, D, E, an Hepatitis B, Surface anti women and children <2 Herpes B virus, possibi Herpes B	e invasive years old osy) rome (HUS) ad G iggen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomas or apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id lead level	n suspicio	viDiseaseReporti vivised March 2013 the Tondarised March 2013 the Tondarised March 2013 the Tondarised March 2013 the Tondarised March 2014 the Tond	rial or mycotic isease g ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inji hosis) r human exposure ning spotted fever a er rickettsioses alitis ng (paralytic si spiratory diseas	Notif hi B, ury, and s hellfish		n diagnos Staphyloc intermedia vancomyc Streptocox disease in Syphilis in neonates Tetanus Trichinello Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Varicella (Varicella (Venezuela Vibriosis (and closel excluding Viral hemo West Nile Yellow fev Zika fever Outbreaks cluster of a infectious confition, general cc	sis 24/7 by phoi occus aureus infect tate or full resistance in (VISA, VRSA) cous pneumoniae in children <6 years of pregnant women a sis (trichinosis) sis (TB) ever (Salmonella set ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio s y related organisms Vibrio cholenae type prrhagic fevers virus disease rer so fany disease, an cases, or exposure or non-infectious di or agent found in th pommunity or any def g_, hospital, school, not listed above th
Cancer Unta system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Charorid Chikungunya fever, loc Charorid Chigrat (<i>vibrio cholera</i> Ciguatera fish poisonir Conjunctivitis in neona Creutzfeldt-Jakob dise Cryptosporidiosis Dengue fever Diphtheria Eastern equine encept Escherichia coli infectui producing	ases and Co ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) rus <pre>cally acquired tes <14 days old ase (CJD)</pre>		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale Hamophilus influenza disease in children <5 Hansen's disease (lepr Hantavirus infection Hemolytic uremic synd Hepatitis A Hepatitis B, C, D, E, an Hepatitis B, Surface ant vomen and children <2 Herpes B virus, possibl Herpes B virus, possibl Herpes B virus, possibl Herpes B, and mouth; in children <12 years of una papillomavirus associated largingeal pir recurrent respiratory pa- children <6 years old; a papillomas in children = Influenza A, novel or pir Influenza A, novel or pir Influenza A, novel or pir Influenza (B) (bood ≥5 ug/dL) Legionellosis Listeriosis	e invasive years old osy) rome (HUS) ad G iggen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomas or apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id lead level	n suspicio	wDiseaseReport wrised March 2013 wr FloridaHealth go charge data report in 24/7 by p lioidosis mingitis, bacte mingotoccal d arcury poisonin imps urotoxic shellfi ratyphoid feve yotypes Paraty d Paratyphi C) trussis sticide-related te gue liomyelitis titacosis (ornitil Ever bies, animal o bies, possible sin toxin poison bela Louis enceph Imonellosis xitoxin poison soning) vere acute res drome associ ection igellosis tallpox	rial or mycotic isease ig ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inji hosis) r human exposure ning spotted fever a er rickettsioses alitis ng (paralytic si ated with coror	Notif hi B, ury, hellfish se navirus		n diagnos Staphyloc intermedia vancomyc Streptocox disease in Syphilis in neonates Tetanus Trichinello Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Varicella (Varicella (Venezuela Vibriosis (and closel excluding Viral hemo West Nile Yellow fev Zika fever Outbreaks cluster of a infectious confition, general cc	sis 24/7 by phoi occus aureus infect te or full resistance in (VISA, VRSA) ccus pneumoniae in children <6 years of pregnant women a asis (trichinosis) sis (trichinosis) sis (trichinosis) sis (TB) ever (<i>Salmonella</i> ser ver, epidemic lisease chickenpox) an equine encephali infections of <i>Vibrio</i> of y related organisms <i>Vibrio</i> cholerae type orhagic fevers virus disease ter a of any disease, an cases, or exposure or agent found in th pommunity or any def g, hospital, schoot, how the momunity or any def
Cancer Uata system (http://cds Reportable Disec Amebic encephalitis Anthrax Arsenic poisoning Arboviral diseases not Babesiosis Botulism, foodborne, w unspecified Botulism, infant Brucellosis California serogroup vi Campylobacteriosis Carbon monoxide pois Chancroid Chikungunya fever Chikungunya fever, loc Charnorid Chikungunya fever, loc Charnorid Chikungunya fever, loc Charnorid Chikungunya fever, loc Charnorid Chikungunya fever, loc Chiarnydia Cholera (<i>Vibrio cholera</i> Ciguatera fish poisonir Conjunctivitis in neona Creutzfeldt-Jakob dise Cryptosporialosis Dengue fever Diphtheria Eastern equine encepf Ehrlichiosis/anaplasmo	ases and Co ases and Co otherwise listed round, and rus disease oning cally acquired ae type O1) rus <pre>cally acquired tes <14 days old ase (CJD)</pre>		s should be to the CHU where s in Florida Gonorrhea Granuloma inguinale <i>Haemophilus</i> influenza disease in children <5 y Hansen's disease (lepr Hantavirus infection Hemolytic uremic syndi Hepatitis A Hepatitis B, C, D, E, an Hepatitis B surface anti women and children <2 Herpes B virus, possibi Herpes Simplex virus (l <60 days old with disse infection and liver invol encephalits; and infect skin, eyes, and mouth; in children <2 years of Human papillomavirus associated laryngeal pr recurrent respiratory pe children <6 years old: papillomas in children ≤2 papillomas in children ≤2 Legtospirosis Listeriosis Lyme disease Lymphogranuloma ven	e invasive years old osy) rome (HUS) ad G iggen in pregnant 2 years old le exposure HSV) in infants eminated vement; ions limited to anogenital HSV Id (HPV)- apillomas or apillomatosis in anogenital s12 years old andemic strains ediatric mortality Id lead level	n suspicio	wDiseaseReport wrised March 2013 wr FloridaHealth go charge data report in 24/7 by p lioidosis mingitis, bacte mingotoccal d arcury poisonin imps urotoxic shellfi ratyphoid feve yotypes Paraty d Paratyphi C) trussis sticide-related te gue liomyelitis titacosis (ornitil Ever bies, animal o bies, possible sin toxin poison bela Louis enceph Imonellosis xitoxin poison soning) vere acute res drome associ ection igellosis tallpox	rial or mycotic isease g ish poisoning r (<i>Salmonella</i> phi A, Paratyp illness and inji hosis) r human exposure ning spotted fever a er rickettsioses alitis ng (paralytic si spiratory diseas	Notif hi B, ury, hellfish se navirus		n diagnos Staphyloc intermedia vancomyc Streptocox disease in Syphilis in neonates Tetanus Trichinello Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Tuberculo Varicella (Varicella (Venezuela Vibriosis (and closel excluding Viral hemo West Nile Yellow fev Zika fever Outbreaks cluster of a infectious confition, general cc	sis 24/7 by phoi occus aureus infect tate or full resistance in (VISA, VRSA) cous pneumoniae in children <6 years of pregnant women a sis (trichinosis) sis (TB) ever (Salmonella set ver, epidemic lisease chickenpox) an equine encephali infections of Vibrio s y related organisms Vibrio cholenae type prrhagic fevers virus disease rer so fany disease, an cases, or exposure or non-infectious di or agent found in th pommunity or any def g_, hospital, school, not listed above th

NOTES

NOTES

Division of Disease Control and Health Protection Bureau of Epidemiology 4025 Bald Cypress Way, Bin #A-12 www.FloridaHealth.gov/DiseaseReporting

